






## B.C. ROUTINE IMMUNIZATION SCHEDULE

### SCHOOL AGE

VACCINE	Grade 6 HealthLinkBC File # <a href="#">50f</a>	Grade 9 HealthLinkBC File # <a href="#">50g</a>
<b>Hepatitis B</b> HealthLinkBC File # <a href="#">25a</a>	 2 doses (if 3 doses not received in infancy)  2 <sup>nd</sup> dose 6 months after 1 <sup>st</sup> dose	
<b>HPV <sup>¶</sup></b> (human papillomavirus) HealthLinkBC File # <a href="#">101b</a>	 2 doses  2 <sup>nd</sup> dose 6 months after 1 <sup>st</sup> dose	
<b>Varicella <sup>‡</sup></b> (chickenpox) HealthLinkBC File # <a href="#">44b</a>	 1 or 2 doses <sup>‡</sup>  2 <sup>nd</sup> dose at least 3 months after 1 <sup>st</sup> dose	
<b>Meningococcal Quadrivalent Conjugate</b> HealthLinkBC File # <a href="#">23b</a>		 1 dose
<b>Tdap</b> (tetanus, diphtheria, pertussis) HealthLinkBC File # <a href="#">18c</a>		 1 dose

¶ The HPV vaccine is being offered to boys in grade 6 for the first time starting in September 2017.

‡ Children who had chickenpox or shingles disease, diagnosed by a health care provider, at 1 year of age or older do not need the chickenpox vaccine. Children who received a single dose of chickenpox vaccine at a younger age only need 1 dose in grade 6. Children who have never received the chickenpox vaccine need 2 doses.